
Gene

Van Sickle,

W9KJ

Features Ham gear in new Finest Electronic Supermarket with personal service.





PROMPT PERSONAL SERVICE * LIBERAL TRADES * EASY TERMS

IN STOCK

*EICO *Hammarlund *Drake *Globe *Gon-set *Hallicrafter *National *Central *Hy-Gain *Mosely *And Other Popular Brands of HAM GEAR

One-Acre Parking Lot

4131 N. Keystone Ave.

On North East Side of Indianapolis

OPEN DAILY 9:00 TO 6:00 INCLUDING SATURDAY

"We Are Equipped To Service Everything We Sell"

To Ma Comp

INDIANAPOLIS RADIO CLUB, INC. FOUNDED 1916 NOVEMBER -- DECEMBER 1961




INDIANAPOLIS RADIO CLUB, INC. 2223 E. 74th Street Indianapolis 20, Indiana To: ROBERT CASKEY, W9DNQ 2355 STUART ST. INDPLS., IND.



Return Postage Guaranteed

Your one stop

HAM HEADQUARTERS



122 S. SENATE AVE. · INDIANAPOLIS

ME 4-8486

SUPPLY, INC.

PLENTY OF FREE PARKING

The Indianapolis Radio Club meets on the 2nd 4th Friday Meetings start promptly at of each month at the Indianapolis Park Board Building located at 29th and Harding Streets. 8:00 P.M., Indianapolis time.

AMA-CHEWER STAFF

	AMA-CHEWER STAFF	
PRES IDENT	Bert Brouse 6995 Barrwill Drive	K9JSF CL-5-9282
EDITOR	Lee Easley 4219 Guilford	K9QDR AT 3-7494
PUBLISHER	Pat Husk 2223 East 74th Street	K9EUQ CL 3-2220
MANAGER	Alvey Pittman 2555 Westlane Road	W9JJC AX 1-9252
REPORTERS	R. Caskey W9DNQ D. McVicker W9JZV R. Osterhous W9PSE	E. Ward K9CRS G. Wolfla K9BHF H. Wolfla K9LZJ
PHOTOGRAPHER	Frank Fitch W9EJW	M
TECHNICAL ADVISORS	Fritz Manning W9VPN	N

M98WD

Cliff Singer

Ama-Chewer is published monthly by and for I.R.C. and all Amateurs in this area. Non-Members of I.R.C. may subscribe at the rate of \$1.00 per year. Publication is on the 3rd Friday of each month, with all news items and ads due no later than the 1st Friday of each month.

scribers. Others may use this facility at the rate of 50 Ham-Ads (5 line limit) are free to members and subcents per ad.

coming events of other clubs in the area for publication in Ama-Chewer welcomes the forwarding of information on the program section.

PRESIDENT'S FREQUENCY

This being my final President's Frequency, the first order of business to be discussed is my appreciation of the officers I was associated with during the past year. Although I was only president of IRC for one year and have been president of other clubs in the past, I can truthfully say that I had the best officers I have ever had in any club. Many thanks to them for their assistance in making the Club the outstanding organization it has become in 1961.

Second on the list is a round of personal applause to the Club members themselves for the wonderful cooperation in our many activities, such as Field Day, Swap-and-Shop and many others. Also, I wish to thank the members for their cooperation in bringing the membership of our Club up to the present status it has attained.

The third order of business, concerns the new members we have voted into the Club during the past year. I hope that they enjoy their affiliation with IRC as I have in the years past. The Club meetings we have twice a month are always looked forward to because of the opportunity to learn of the happenings and experiences of fellow hams and to enjoy the wonderful association and fellowship of a group of very fine people.

Although I am associated with the Club as a Director, I will always work toward the Club's continuing success and do all in my power to assist the new officers in any way possible

Bert Brouse, K9JSF President (1961)

ATTENTION DX'ERS

Have you written to your senator or members of the committee on Interstate and Foreign Commerce about S.2361 yet?

The text of this bill is given on Page 73, October QST. The bill needs a generous showing of grass roots support to (1) get it out of committee, (2) to assure action. Our 1934 Communications Act permits FCC to license only U.S. citizens. The bill to amend has safeguards and provisions for reciprocal licensing and can do much to further world-wide amateur radio. It's our hobby, now let's do something about it.

Write about S.2361 TODAY!

WATT'S NU IN EQUIPMENT

The new Mosley CM-1 communications receiver is the result of two years of continuous engineering development. Designed for single sideband, amplitude modulation or continuous wave radio telegraphy, this compact double conversion receiver is truly imaginative in design. It combines excellent selectivity, stability, and freedom from images, with the advantages gained by using a crystal controlled first oscillator.

One of the first things we noticed about the CM-1 is the absence of an RF amplifier stage. The pentode RF amplifier stage normally found on the better amateur receivers serves three functions: Amplification, Image rejection and improvement of the signal-to-noise ratio. In the CM-1, all of these requirements are accomplished through the use of a multiple tuned triode mixer with better overall performance than the usual pentode.

The receiver is equipped with an automatic noise limiter which is very effective in combating impulse noises. Stand-by terminals on the rear of the receiver are in parallel with switch contacts so that a separate relay may be used to control the receiver. In addition, a separate set of contacts on the standby switch, are brought out to the relay terminals on the rear of the set so that if desired, the stand-by switch may be used to control the transmitter and antenna change-over relay. An accessory socket on the rear of the chassis, may be used to furnish 6.3 volts at 3 amps. and 125 volts at 5 ma.

We feel that the Mosley CM-1 is one of the nicer new receivers available for amateur use today.

SPLATTER

Craig Larsen, Wn9AKU, came up with a new wrinkle to us. When his exams for a Tech. License were mailed in, he included a self-addressed postcard requesting to be advised if he passed, and the card came back marked, "You passed," Now, although he still has to wait, he won't have to chew his nails. Pretty smart, eh? (Ed. Note: Incidentally, Craig is going to Chicago with Wes Dyer next month to try for his General Class license.)

A call to K9YIA gave us the news that the score on the Karen, were real busy keeping coffee on for the illustrious group of Radio Amateurs gathered at the Bamberger's east V.H.F. Sweepstakes at 4:30 P.M. Sunday, was 5970 points. Chief Operator, Jim Bambarger and his good looking wife,

K9UDW-Church; K9CLA and K8IOI. Equipment for the big event a Nove 1000, and from there into a 47 foot long Sprial Ray, consisted of a Gonset GSB-100, driving a new NOVE VI, into 85 feet off the ground. By the way, Jim manufactures both the Nove VI, and the Nove 1000, for 6 meter single side-Among those "free-loading" were K9SGV-K9SGV; K9DWR; band use. Two real fine pieces of Ham equipment, We hope to see Jim's call near the top of the listings in a forth-coming issue of QST.

He is now using a halo on top of a ten foot mast in his back-Dave, K9SOP, has joined the 6 meter crowd with a sixer. one more year, he plans to go mobile. Watch for him on 6! yard for an antenna. Soon as Dave gets his wheels, about

We are sorry to hear that Frank Black's, W9MNA, XYL has entered Methodist Hospital for surgery and will be confined there for two or three months. Friends may drop a line to Indianapolis, Ind. We are sure that all the Club members her at Room A-210, Methodist Hospital, 16th and Capitol, join with the Ama-Chewer in wishing Mrs. Black a speedy recovery


the Indianapolis Symphony Orchestra concerts on Sunday afternoons. Claude, W9TKV is the only one found to be turning up. Hank, K9LZJ, wonders if there are any hams that attend (Ed. Note: Hank, who was that girl, I saw you with?)

about amateur television in the VHF portion of the spectrum. Anyone who can give us any information on this, please send The Ama-Chewer is interested in obtaining an article all correspondence to Pditor

ROVING REPORTER

It was a cold, gloomy, January afternoon when we decided Carl Osterhous, along with the warmth of their well appointed to drop in on Bob Osterhous, W9PSE. The customary cheerfulfriendly living room, soon chased those icy fingers of Old ness that best describes Bob and his parents, Mr. and Mrs. Man Winter out of our back. Bob, usually an active Ham on 40 meters SSB, has had his iness is booming for his Dad at his "INDUSTRIAL AIR EQUIPMENT on East 46 th street. Still, Bob occasionally finds time to operating time curtailed somewhat in the last year as busfire-up the HQ-140, 20-A, and homebrew 800 watt linear.

location, or perhaps has a new and original idea on something working on a new project, or has moved something to a better the shack to his room. Perhaps if we are lucky, he might be We always enjoy dropping in on Bob because there is always something new going on around his shack. He is either Most recently, Bob moved his six meter Communicator II from found sneaking around that well known VHF band these cold Winter nights. One thing, unlike many hams, the operating area at W9PSE is always in "tip-top" condition and ready to be photographed photopack and was only able to get a shot of Bob's six meter antenna and forty foot tower. If you look closely, you will Unfortunately, your photographer and reporter had a dud DC probably see the forty meter gamm-matched dipole connected near the top of the tower. Thanks to Bob and his parents for the warm welcome; and keep an eye open as we'll be back for that "shack shot" real soon.



NOTEWORTHY NEWS

ARRL has now requested our government to review the status of Loran use in the 1800-2000 kc. region, looking to expansion of our amateur work, sharing with this primary navigational use.

A formal petition is in process to ask the FCC to relax the present power limitation in the amateur 420 mc. band.

Per Board action, the League has asked FCC for rules changes which if approved would:

- 1. Relax the requirements for mobile log keeping.
- 2. Eliminate the requirement for dual identification by C.W. in RTTY work.
 - 3. Provide for slow scan picture sending in the 10 and 15 meter voice segments with band width limited to that of A-3.

We feel confident that the new year will look birghter for us as radio amateurs. For detailed filing on such matters and news as it develops be sure and follow "Happenings of the Month" in QST.

ATTENTION ALL IRC MEMBERS

Here are the important results of our recent election of officers, held December 9, 1961.

The membership is to be congratulated on their fine selection. We are sure the Indianapolis Radio Glub will continue to grow and prosper under their competent leadership and that the Club members will continue to accord them their usual fine cooperation.

COVER STORY

This month, with the new year at hand, we thought we would reminice. With a touch of nostalgia our mind drifts back through time to that fateful morning of June 24, 1961 and the beautiful 100 foot crank-up tower we used at the Field Day location. (Ed. Note: It's even more beautiful

RTTY

Alvey, W9JJC's, Model 14 doesn't start turning in English in-Alvey says he has been looking through old CQ's and they have tronics. You have to really "dig deep" to find information, Meanwhile, back at the ranch, Alvey is still reading gibberish. He thinks it is the teletype writer but we think it is running RTTY articles since 1955. For the ham who likes to build, it opens up an entire new world of imaginative elec-Ed (President) Ward, has a Model 15 teleprinter and if there is enough interest shown, will be back for an encore. able. In addition, there are two RTIY outfits who publish but it is available, and a new RTTY Handbook is now avail-Several months ago, Cliff-W9SWD, gave a brief talk on this specialized phase of our hobby, and if stead of gibberish, Ed is going to beat him on the air. monthly bulletin. his converter. In the interest of amateur radio and primarily that phase of our hobby known as radio teletype, the staff of the Ama-Chewer is interested in compiling a list of those now maintaining radio teletype equipment on-the-air. Please be sure to either call Alvey Pittman, W9JJC at AX 1-9252 or drop a postcard in the mail to Ama-Chewer, Box 40073, Nora Post Office, Indianapolis, Indiana. (Ed. Note: Dear W9JJC: Man, that ain't no converter you got, it's one of them crazy government scramblers;)

LOST AND FOUND

Whatever happened to Chet Crump, K9ADJ? If anybody knows of his whereabouts, why not drop a line to the Ama-Chewer, Box 40073, Nora Post Office, Indianapolis, Indiana.

AROUND THE SPECTRUM


While reading the mail one afternoon, on 75 m fone, during school Christmas vacation, we heard Gretchen, K9BHH (without her key, of all things) holding her own against more than a dozen wolves. Man, this girl has some technique.

Did all of you send your self-addressed envelopes to the Division QSL Bureau? See Page 14 of September Ama-Chewer for complete listings.

Specifical and and and and and and and

Perhaps the newest and fastest growing radio amateur club in Indianapolis is the new, Minor's Amateur Radio Klub, M.A.R.K. Under the leadership of Dave Mills, K9SOP, President, and Dave Leonard, K9FZJ, Vice President, the entire membership of nearly thirty-five strives to promote the common interest of amateur radio among those under twentyone years of age. As this is a new club, "still in the making", any suggestions will be accepted with full club appreciation by the Secretary, Gretchen Wolfla, K9BHH. (Ed. Note: ATTENTION THOSE WHO MAY BE CONCERNED:

K9BHH, CL 5-9650.)



If you want to know what it is, see the next page and READ.!

TRANSISTOR POWER CONVERTER

The inverter works as a free-running oscillator. One transistor starts it by drawing somewhat more collector current that its mate, due to the inevitable differences that exist between transistors.

As its collector current flows through transformer T1, it induces a current in the base winding. This winding has been so connected that the current is in the right direction to bias its base more negatively, and more collector current flows.

At the same time, because it is a transformer, the othe end of this base winding is going positive, and this is bein fed to the other transistor. The positive flowing current keeps this transistor "turned off".

The conducting transistor keeps on conducting as long a the rising collector current is matched by the rising base current. Eventually, the transformer core material saturate and its field commences to collapse.

When this happens, there is a sudden reversal of the current in the base winding, the conducting transistor is switched "off", and the one that was not conducting is switched "on". This results in a square-wave voltage being induced in the secondary. It is this voltage stepped up which is found at the output socket. Output frequency is close to 60 cycles.

This inverter is designed to supply about 15 watts of useful output. If mounted under the hood it is very convenient for those after dark "blow-outs", and because it is transistorized, will not run down the battery as much as a vibrator circuit.

de-K9QDR

VAN SICKLE SPECIALS

THE CLEGG 99'er IS YOUR BEST BUY FOR 6 METERS

E.F. Johnson "Adventurer".

Heath DX-100...

\$149.0

Heath DX-35...

Hammarlund HQ-110...

\$195.0

RME 45...w/matching speaker...

\$69.0

Collins 75-S1...

\$445.0

EDITORIAL

As of December 19, 1961 (one week in orbit) the amateur radio satellite Oscar I had completed 104 revolutions about the earth on a North-South-North orbit. Reports are beginning to pour into the Oscar Headquarters. A total of 296 reports from 11 foreign countries have been received, with radio messages indicating more are on the way. Mail has been delayed because of the Christmas rush, but it is hoped that future reports will reach HQ more rapidly. Reports have proven to be consistent and accurate enough for use in generating tracking predictions. Telemetry information provided by the keying rate indicated that Oscar I is running a fever. Recent data establishes the temperature of the package to be 125 degrees fahrenheit.

The following is a summary of the Oscar I staellite:

transistor amplifier and "Veri-cap" diode doubler to 145 mc. Supply: Mercury batteries. Expected life of batteries: 3 to (10 HI's in 30 seconds = 64° F. Tumble Rate: Approximately Keyer consists of transistor multivibrator and counters with 100 plus milliwatts. HI rate: Proportional to temperature. 4 weeks. Antenna: 1/4 wave monopole, about 19 inches long. Dimensions and weight: 12" x 10" x 8 ". Weight 10 pounds. quency received is higher than transmitted when satellite diode logic. Oscillator is keyed in base circuit. Power Frequency: Approximately 144.983 Mc. Power Output: 92 minutes. Total Doppler Shift. Approx. 6.5 kc. (Freapproximately 275 miles. Perigee: (Point closest to the earth: Approximately 150 miles. Orbital Period: Apprx. Transmitter: Transistor crystal oscillator on 72.5 mc., 20 seconds. Apogee: (Point farthes from the earth) is approaching your station; lower when going away).

All daytime passes are from North to South. All nightime passes are from South to North.

(Ed.Note: Daytime passes??????This must be some new

kinds of hobby.)

GRAHAMS SPECIALS OF THE MONTH

50	00	50	70	
Johnson Valiant \$299.50	98.	. 61	Gonset G-2810 meter tranceiverNEWNEWNEW \$179.70	
20	20		1	
S	S	S	S	
0				
	0	100		
			17	
			H	
	•	*	Z	
	•		:	
			7	
		.0	豆	
		.0	Z	
		9	13	
			H	
•	•		Z	
			Н	
			P	
			i.	
(8)			a	
0			0	
	:		31	
0	۰	ы	H	
		a	T	
		T	٠.	
		1	0	
	•	E	T	
		15	je	
		ar	П	
4	0	Ľ	0	
E	0	H	\vdash	
.0		01		
-	B	9	00	
a	S		2	
>	9	H	r.h	
C	u	VF	0	
0	O		T	
S	S	e	0	
1.	C	20	1.S	
0	0	I	0	0
7	C	5	5	-

RADIO MECHANICS ADDRESS

Four volts and seven ohms ago, our farads brought forth into this capacitance, a neutralization, dedicated to the power that all resistance created is equal in inverse feedback when all oscillations are consuming the food of electricity in which a current of great dissipations is achieved, and where all electrons have a free right to short all circuits and blow all fuses.

Here have gathered the great real powers of XL and XC anto are fighting the great signal strength to obtain resonance. We hereby dedicate this day to our electrons which have been lost in the vast field of ionizations. So let us air out capacitance, decrease resistance, increase voltage, and are across to defeat the great foe of distortion; let us generate out harmonics to such a scale that our neutralization will forever be pure resonance.

DE - K9LZJ and "Bison"

SELLING

\$250.00	\$110.00	\$ 15.00	\$ 10.00	\$ 25.00	\$ 15.00	\$ 18.00	\$ 3.00				\$ 15.00			.\$179.00	\$230.00	\$179.50	\$150.00	\$ 50.95
SX-100 in like new condition. Only 20 hrs \$250.00	Viking Challenger-Factory WiredLike New \$	R-46B Speaker for SX-100	5 element beamHi-Gain	30 ft. IV Tower §	Trio Rotator	6 meter converterAmeco	Johnson Key	Call or Write: Jerry Williams, K9RAB	5255 Woodside Drive	Indianapolis, Indiana	FOR SALE: Misner Signal Shifter \$ 15.00	CL 5-9650	GRAHAMS SPECIALS OF THE MONTH	RME 4350w/Side Band Slicer and speaker\$179.00	HQ-170 C Hammarlund\$230.00	Central Electronics 20-A\$179.50	Hallicrafter HT-31.Linear\$150.00	Johnson 6N2 ConverterKITS\$ 50.95



4 PAIR OF 4-10005 HEAR

Weddings Commercial Portrait

Over A Quarter Century

4351 Crittenden Ave. of Experience

CL 1-6550

2954 N. College

MOORE ELECTRONIC PARTS COMPANY Distributor of Electronic Parts & Components * L.M.B. CHASSIS & BOXES

* TEST EQUIPMENT

* C.B. XMTRS & RECVRS

8:30 to 6:00 8:30 to 5:00 Open MON-FRI

ME 4-4346 1407-15 N. Illinois

W9MW-PROPRIETOR Televison Service CHARPI


QUALITY SERVICE

RADIO TELEVISION H-F RECORD PLAYERS

STEREO

WA 5-8144

FOR EVERY OCCASION



DEPENDABLE SERVICE CITY WIDE DELIVERY

WOYMV ROY